



www.ijatir.org

## Mixed Reality: Augmented – Virtual and Its Usage in Medical Sciences

KURMILLA ANIL KUMAR<sup>1</sup>, S. GOUTHAMI<sup>2</sup>, P. SRINIVAS RAO<sup>3</sup>

<sup>1</sup>PG Scholar, Dept of CSE, Jayamukhi Institute of Technological Sciences, Warangal, TS, India,  
Email: anilkurmilla@hotmail.com.

<sup>2</sup>Associate Professor, Dept of CSE, Jayamukhi Institute of Technological Sciences, Warangal, TS, India,  
Email: gouthami.shiramshetty@gmail.com.

<sup>3</sup>HOD, Dept of CSE, Jayamukhi Institute of Technological Sciences, Warangal, TS, India, Email: srithanrao@gmail.com.

**Abstract:** Mixed reality (MR) is an ability to merge real and virtual spaces applied to different knowledge such as abstract and concrete. MR has been applied to very fascinating problems in Medical Sciences. Virtual Reality (VR) is defined as a collection of technological devices: “a computer capable of interactive 3D visualization, a head mounted display and data gloves equipped with one or more position trackers”. Today, most of the scientists define VR as a simulation of the real world based on computer graphics, a three dimensional world in which communities of real people interact, create content, items and services, producing real economic value through e-Commerce. In this paper we would like to implement the concept of Virtual Reality on different Technologies and as well as on games to train the users. Some of them include Volley Ball Training, Car Driving Training etc. To continue this further we are planning to apply this Technology for Medical Science. It is like with the help of Augmented Reality, create and simulate the various organs of the Human body ,so one can view the internal structure of the organ ( 3D- View ) and then with the help of Virtual Reality make the Users to really feel that they were observing the internal structure directly (even though it is an Augmented). So, this will be a great trend in medical sciences as learning as well as for performing various operations.

**Keywords:** Virtual Reality (VR), Mixed reality (MR).

### I. INTRODUCTION

Mixed Reality with the help of Computer modelling and simulation have become increasingly important in many scientific and technological disciplines owing to the wealth of computational power. Calculation of the behavior of these computational models is increasingly replacing experiments on real world objects for example, in the car industry (tests based on simulated crashes) or in the development of nuclear weapons and is becoming an indispensable tool in the development of new products and procedures. Likewise, the development of techniques for acquiring data (for example, medical imaging) has enabled the easy generation of high resolution copies of real world objects from the computer's memory. The development of imaging technologies, such as magnetic resonance imaging, computed tomography, and

ultrasound, has made the acquisition of highly detailed anatomical and partially functional models of three dimensional human anatomy a routine component of daily clinical practice. The principal aim of virtual reality technology is to present virtual objects or complete scenes to all human senses in a way identical to their natural counterpart Simulated three dimensional reconstruction of organs from radiological cross sections is an important diagnostic tool by providing clinicians with a more naturalistic view of a patient's anatomy Preoperative planning with the use of a computer including realistic prediction of the outcome has become an integral part of the intervention in certain disciplines, such as radiation therapy, craniofacial surgery, or neurosurgery Computerized three dimensional atlases of human anatomy, physiology, and pathology are about to revolutionize the teaching of these subjects Several virtual reality systems have been developed and tested for the physical or mental rehabilitation of patients and for supporting mental health therapy Virtual reality technology plays an important role in telemedicine from remote diagnosis to complex teleinterventions.

### II. Technical Data for Virtual Reality Devices

#### A. Display screens

Usual screen resolution: 1024×768 or 1280×1024 pixels. In stereoscopic mode the vertical resolution is halved: 1024×384 or 1280×512 For head mounted displays resolution is usually lower: starts at 400×200 pixels Necessary update rate for smooth visual appearance is minimum 25 Hz (monitor refresh rate for flicker free viewing is much higher—72-100 Hz—which also doubles in stereoscopic mode).

#### B. Force feedback

Maximum exert able force: 5-25 N  
Continuous exert able force: 1-3 N

Usually 3-6 degrees of freedom force driven Active working space usually from 15 cm×15 cm×15 cm up to 50 cm×50 cm×100 cm Necessary force update rate for vibration free force sensation: 500-1000 Hz.

#### C. Tracking devices

Position accuracy: 0.1-2 mm, 0.1-1°

Working range: 1-10 m  
Update rate 20-500 Hz.

For a long time the examination of, and interaction with, this computational model was reserved for specialists who were able to understand the limited representation of data offered by computer programs. In the case of medical imaging the mental reconstruction of three dimensional anatomical objects from slices of images in cross section, as usually presented on a light box or a computer screen, is not a natural cognitive ability of humans. Radiologists need intensive training and extensive experience to cope with this task. Virtual Reality Technology aims at closing the gap between the capability of present technology to acquire images and properties and then to calculate the behavior of virtual objects, and the ability to observe and interact with them. The ultimate goal is to allow the presentation of virtual objects to all of the human senses in a way identical to their natural Counterpart In some applications real and virtual objects need to be integrated making it necessary to present and manipulate them simultaneously in a single scene, leading to the development of hybrid systems referred to as augmented reality systems.

### III. THE TECHNOLOGY

#### A. Computer graphics

Three dimensional computer graphics initiated the development of virtual reality technology several decades ago. The principal aim is to generate images with virtual objects or complete scenes in a near photorealistic manner. Two major components are needed to reach this goal: appropriate algorithms to calculate the visual appearance of the virtual scene to be visualized (rendering); and physical devices (in most cases graphical displays) to present the resulting images to the user. A vast collection of methods has been developed during the past decades for rendering. They basically simulate the interaction of light with the geometry of the virtual objects, which can be represented as a collection of surfaces (surface rendering) or as volumetric models (volume rendering). In order to achieve real time performance for large objects different specialized accelerator units have been developed, which are readily available today—even for personal computers. The level of realism can be considerably improved by the use of texture mapping techniques, allowing the coloration of the represented surfaces by detailed photographic images. The results of these rendering algorithms are usually presented on a video monitor. Since stereoscopic vision is a fundamental condition of realistic immersion into a virtual scene substantial effort has been made in the development of stereoscopic display systems. The basic technique of these devices is to present the scene from a slightly different point of view for each eye. The simplest way to achieve this separation is the use of polarized glasses, which selectively filter the images appearing on the screen. Another solution is provided by head mounted displays, with a completely separate screen for each eye. New technological developments based on the construction of special display screens or holography promise to eliminate the need to wear

special equipment while maintaining fully stereoscopic scene presentation. The usual resolution of commercial stereoscopic displays is around 1200×500 pixels, whereas cheaper head mounted displays provide a much worse resolution of around 400×200 pixels.

#### B. Interaction devices and trackers

In the early years of computer graphics the results of the rendering algorithms were presented as static images or recalculated animated sequences (movies). The graphical rendering power of today's computers allows the real time calculation of scene appearance which requires a minimum of 25 images per second making the visual exploration of, and interaction with, virtual scenes possible. Besides classic computer devices, such as the keyboard and mouse, a rapidly growing group of devices for example, three dimensional pointers or data gloves allows increasingly realistic interactions with virtual objects. Owing to the rapid development of new paradigms of interaction the user is becoming increasingly an integral part of the virtual scene. To facilitate this integration and the resulting immersion it is indispensable to provide information about the actual physical status of the observer including his or her position, gaze direction, and gestures. Such information is acquired by tracking devices, which follow certain anatomical structures of the user or external landmarks attached to the display or to interaction devices. A large number of commercial systems are available for the determination of three dimensional landmark position, based on visual and optical tracking technology or magnetic tracking technology. These units allow position determination up to submillimeter accuracy within a working distance of several meters.

#### C. Force and tactile feedback

Tactile and haptic (force) sensing is an important source of information when interacting with the virtual environment. Accordingly, these forces have to be transmitted to the user if immersion in a virtual scene with a reasonable level of realism is desired. Although research into the development of devices with haptic or tactile feedback (often called haptic or tactile displays) has been considerably less intensive than with their visual counterparts a comparatively large number of devices has already been developed and some are commercially available—even specifically for medical application. Tactile feedback is usually provided by actuators using thermal, vibrational, or mechanical stimulators. Especially popular are the tactile displays based on a two dimensional array of individually actuated miniature rods, similar to devices used to present the braille alphabet for the blind. Force feedback is usually generated by “inverse” robot units, where the electric motors of the device do not generate active motion but are used to counteract the movement of the user. Currently available instruments range from simple three dimensional pointers to large complex exoskeletal devices, which have a large number of degrees of freedom for human joints coupled with force feedback. Commercial devices allow the generation of a peak force in the range of 10 Newton's. The requirement for update rates of tactile or force feedback for realistic force

## Mixed Reality: Augmented – Virtual and Its Usage in Medical Sciences

sensation are much higher than for visualization, usually up to 1 kHz.

### D. Other sensory feedback

Realistic representation of auditory information is technologically less demanding than visual or tactile simulation. Comparatively inexpensive devices used in consumer electronics have been readily available for a long time and are easily integrated into virtual reality systems interestingly, sound is seldom used in medical applications and is very rarely part of the simulation of a medical virtual environment. In few applications auditory signals are used selectively to augment information during interaction with the scene, such as indicating the distance of a device from an object. Currently the integration of the sense of smell into virtual environments is exclusively a research issue. Olfactory displays are under development for the computer controlled generation of a wide range of possible odors. Most currently envisioned applications are in training—for example, combat and firefighting.

## IV. MEDICAL APPLICATIONS

In the past decade medical applications of virtual reality technology have been rapidly developing, and the technology has changed from a research curiosity to a commercially and clinically important area of medical informatics technology. Research and development activity is well summarized by the yearly “Medicine Meets Virtual Reality” meetings, and the commercialization of the technology is already at an advanced stage.

### A. Diagnostics

Initially, algorithms for graphical rendering of anatomy have been used to provide support for three dimensional organ reconstruction from radiological cross sections. For the clinician this method of visualization provided a more natural view of a patient's anatomy without losing the see through capability of the radiologist. Virtual endoscopy techniques (such as virtual colonoscopy or bronchoscopy) based on the virtual reconstruction and visualization of individual patient anatomy are rapidly developing. Owing to the potential benefits of patient comfort and cost effectiveness virtual endoscopic procedures could replace real endoscopic investigations in the foreseeable future in some areas of diagnosis. The most impressive development has been demonstrated in virtual colonoscopy as a screening tool for colon polyps and cancer and which is currently in the clinical validation phase.

### B. Preoperative planning

In many areas today the use of computer models to plan and optimize surgical interventions preoperatively is part of daily clinical practice. In some areas, such as conformal radiotherapy and stereotactic neurosurgery, treatment is not possible without preoperative planning with the aid of a computer. In other areas, such as craniofacial neurosurgery and open neurosurgery, the possibility of planning surgery on a computer screen, trying out different surgical approaches with realistic prediction of the outcome (for

example, postoperative appearance of the patient), and planning individualized custom made implants have substantial impact on the success and safety of the intervention.

### C. Education and training systems

Education and training is one of the most promising application areas for virtual reality technologies. Computerized three dimensional atlases presenting different aspects of the anatomy, physiology, and pathology as a unified teaching atlas are about to revolutionize the teaching of anatomy to medical students and the general public. Systems based on virtual reality offer a unique opportunity for the training of professional surgical skills on a wide scale and in a repeatable manner, in a way similar to the routine training of pilots. Contrary to the preoperative planning systems, which require an extreme level of accurate registration and alignment of tissue (data fusion), medical and surgical education and training rely more on high fidelity visualization and realistic immersion into the virtual scene than on the precise data fusion of the applied models with the specific anatomy of a patient. The rapid adoption of minimally invasive surgical techniques is one of the major driving forces in the development of surgical trainers. The extreme limitations placed on visual and manipulative freedom, including the loss of tactile feedback and the unusual hand-eye coordination, makes extensive specialized training for such interventions necessary. Virtual reality is the technology of choice with the greatest potential for future development, and a rapidly growing number of commercial units is becoming available.

### D. Image guided surgery

Even the best preoperative planning is of limited use if its implementation in the operating room is not guaranteed. Whereas traditionally these plans are transformed mentally by the surgeon during the intervention, computer assistance and virtual reality technology can substantially contribute to the precise execution of preoperative plans.<sup>18</sup> Image guided surgery is the typical application area where virtual objects (data from the preoperative image and the anatomical objects extracted from them) and real objects (the patient and the surgical tools) must be merged into a single unified scene, calling for augmented reality techniques. The major technical issue to be solved is the registration of the real and virtual objects—that is, to make the preoperative data coincide with the actual patient anatomy—and the tracking of the movement of real objects such as the surgical instruments. Although still needing substantial research image guided surgery is one of the major development areas today, with several systems in routine clinical practice, especially in orthopedics and neurosurgery.

### E. Other application areas

Virtual reality offers promising solutions in many other areas of medical care, where the immersion into a virtual world can help the patient, the physician, and the developer of the technology. Several systems have been developed and tested for physical or mental rehabilitation and for

supporting mental health therapy by exposing the patient to appropriate experience or illusion. Finally, virtual reality based technology plays a major role in telemedicine, ranging from remote diagnosis to complex teleinterventions.

## V. CONCLUSIONS

Mixed Reality a Virtual reality based technology is a new but rapidly growing area in medicine, which will revolutionize health care in the foreseeable future. The impact of this technology is just beginning to be recognized owing to methodological, technical, and manufacturing breakthroughs in the past few years.

Some of the Augmented Reality Images:




Fig 1. Part of the vertebral column.



Fig 2. Complex model containing the most important organs of the abdomen.



Fig 3. Liver: inter-operative photo (left). b) Liver: virtual organ coloured by synthetic texture (right).



Fig4. The colon related to the original cry sectional slices.

## VI. REFERENCES

- [1] Earnshaw R, Jones H, Gigante M, editors. Virtual reality systems. New York: Academic Press; 1993.
- [2] Virtual reality environments in psycho-neuro-physiological assessment and rehabilitation (VREPAR). [www.psicologia.net](http://www.psicologia.net) (accessed 4 Oct 1999). [PubMed]
- [3] VirtualEnvironments.w2.insead.fr/CALT/Encyclopedia/Computer Sciences/VR/vr.htm (accessed 4 Oct 1999).
- [4] Larijani LC. The virtual reality primer. New York: McGraw-Hill; 1993.
- [5] Information Resources in Virtual Reality. Technical reportNoB-93. [www.hitl.washington.edu/projects/knowledge\\_base/irvr](http://www.hitl.washington.edu/projects/knowledge_base/irvr) (accessed 4 Oct 1999).
- [6] Burdea G, Richard P, Coiffet P. Multimodal virtual reality: input-output devices, system integration, and human factors. *Int J Human-Comput Interact.* 1996;8:5-24.
- [7] Augmented reality page. [www.cs.rit.edu/~jrv/research/ar/](http://www.cs.rit.edu/~jrv/research/ar/) (accessed 4 Oct 1999).
- [8] Watt A. Fundamentals of three-dimensional computer graphics. Wokingham: Addison-Wesley; 1990.
- [9] Burdea GC. Force and touch feedback for virtual reality. Chichester: Wiley; 1996.
- [10] Dillmann R, Salb T, eds. Proceedings of the first international workshop on haptic devices in medical applications. Paris, June, 1999.
- [11] Lehnert H. Fundamentals of auditory virtual environments. In: Magnenat-Thalmann N, Thalmann D, editors. Artificial life and virtual reality. Chichester: Wiley; 1994.
- [12] Barfield W, Dana E. Comments on the use of olfactory displays for virtual environments. *Presence.* 1996;5:109-121.
- [13] Medicine and virtual reality: a guide to the literature (MedVR). [www.hitl.washington.edu/projects/knowledge-base/medvr/](http://www.hitl.washington.edu/projects/knowledge-base/medvr/) (accessed 4 Oct 1999).
- [14] Weghorst SJ, Sieburg HB, Morgan KS, editors. Medicine meets virtual reality. Vol. 29. Amsterdam: IOS Press; 1996. Health care in the information age, technology and informatics.
- [15] Morgan KS, Hoffman HM, Stredney D, Weghorst SJ, editors. Medicine meets virtual reality. Vol. 39. Amsterdam: IOS Press; 1997. Global healthcare grid technology and informatics.
- [16] Medical robotics and computer assisted surgery links. [www.mrcas.ri.cmu.edu/links.html](http://www.mrcas.ri.cmu.edu/links.html) (accessed 4 Oct 1999).